#### REMARKS WELL LOG SUB REPORT/abd ELECTRIC LOGS WATER SANDS LOCATION INSPECTED 1-19-90 DATE FILED FEE STATE LEASE NO. LAND: FEE & PATENTED PUBLIC LEASE NO INDIAN 2-06-90 (CAUSE NO. 156-3) DRILLING APPROVED: SPUDDED IN: COMPLETED PUT TO PRODUCING INITIAL PRODUCTION GRAVITY A.P.I.

UTAH OIL AND GAS CONSERVATION COMMISSION

GOR: PRODUCING ZONES

TOTAL DEPTH:

EXPIRED EFF 8-7-92

950' FEL

SUTHERLAND OIL COMPANY

WELL ELEVATION:

DATE ABANDONED:

FIELD: UNIT:

COUNTY:

WELL NO.

LOCATION

TWP.

42S

MEXICAN HAT

FT. FROM (N) (S) LINE

**OPERATOR** 

SAN JUAN

SEC.

#7-5

FSL

2190'

RGE

19E

API NO. 43-037-31487

RGE.

NESE

SEC.

**OPERATOR** 

1/4 - 1/4 SEC.

FT. FROM (E) (W) LINE.

TWP.



DIVISION OF OIL, GAS & MINING

Division of Water Rights P.O. Box 718 Price, UT 84501

Subject: Authorization for culinary water usage

#### Gentlemen:

The following Company has requested and received authorization from the undersigned to use culinary water from the township of Mexican Hat, Utah, for the purpose of drilling oil wells.

09-944 Water Right No.

Company:

Amount Allocated: 10,000 Sals

Time Period: Dec. 31, 89
Well Name: Jed 1, 2 + 3

Surveyed Location: 60ts 509 Sec 5 2/2,5 19, 8 1568 FSL 33 2477 F.W.C.

Very truly yours,

Sutherland Oil Co.

Frd. #3 43-037-31376

F.J. #1 43-037-3/374

SAN JUAN SPECIAL SERVICE DIST. #1 the Rishdoome

Luther P. Risenhoover, President

## DIVISION OF OIL, GAS AND MENTING

			10 10	1000	5. Lease Designation :	and Sorial No.
APPLICAT	TION FOR PERMIT		10N 19		6. If Indian, Aliettee	or Tribe Name
Ia. Type of Work		I TO DRILL, DE	EPEN, OK PL	HG BACK	4	- 0.000 0.000
b. Type of Weil	DRILL 🔀	DEEPEN	all bas be	DG BACK [	7. Unit Agreement Na	me .
Oil Mell	Gas Other		Single Zone	Multiple	S. Farm or Lease Nur	Re
2. Name of Operato	5, +60/2)	0.11:			9. Well No.	
S. Address of Oper	rator O	Orilling		····	7-5	•
4. Location of Wei	730x 33	56 Mexic	an Hat	UT 8453	10. Field and Pool, or	Wildens
At surface	11 (Report location clearly and 2 Mile &-	11	State requirements.*) 2190 FSL		11. 00. Sec., 1., 11., 11.	let (960)
At proposed pro	d. sone	, , , , , , , , , , , , , , , , , , ,	950 FEL		50 14 Sec	7,42.5,-19
14. Distance in mi	les and direction from nearest	town or past office.	-	NESE	12. County or Parrish	113. State
1/2	Mile East				San Juan	Utah
15. Distance from location to nea property or less	PROS	FEL:	lii. No. of acres in leas	e 17. No. to th	of seres assigned is well	
(Also to neares	t drig, line, if any)		Office 20	/ / 20. Potes	ry or cable tooks	
	All mile target IP	50' South	200 Ser	lridge.	Rotory	
21. Elevations (Sho	w whether DF, RT, GR, etc.) $139$			- J1010-	22. Approx. date wee	k will start
23.	1134	TROTOGER CLEIVE			<u> </u>	<u> </u>
Sise of Hole	Sing of Cooking		AND CEMENTING P			
10"	Size of Casing	Weight per Foot	Setting Dep	*** 7	Quantity of Comes	
	401 /0 //	/8	70		approx. /	Socs
					····	
			·			
						***
· ·						
						i
	·					
		•				
				6		
IN ABOVE SPACE ductive some. If pr	E DESCRIBE PROPOSED PRO roposal is to drill or deepen di	OGRAM: If proposal is i	to deepen or plug back	, give data on pres	ent productive sone and	preposed new pro-
brasance, brokimus	it any.				ter and true section (set	CRS. GIVE blowout
A Revenue Carti	ify that this report is true	and complete to the be	st of my knowledge.		1	11 02
Signed	June / - X )	MAN Title	#		Date_/	16-70
(This space for	Federal of State office use)					
AFI 10	43-037-31487		Approval Date	APPRO	OVED BY THE	STATE
Approved by		TitleTitle		OF	JTAH DIVISIO	N OF
Conditions of an		151@				
	pproval, if any:			Oll	GAS, AND MI	NING
	pproval, if any:			DATE: 2	GAS, AND MI 2-6-90/	NING:
	pproval, if any:	*Saa Instruccii	ons On Paulana S:	CRV.	GAS, AND MI 2-6-90	NING
(3/89)	pproval, if any:	*See Instructio	ons On Reverse Si	BY:	PACING:	NING se No. 156-3

Company	Sutherland Oil	Company		
Well Name & No		No. 5		
Location	2190' F/SL	950' F/EL		·
Sec7, T42 S.,	R. 19 E., S. L. M.	, County	San Jua	Utah
Ground Elevation $\frac{415}{1}$				
		·		
·	<b>)</b> 		1	
			! !	
			1	
			1	
			į	
			! !	·
	Section	7	<del></del>	
			1	
	,		į	950'
			<del> </del>	
·			1	
			j.	2190'
			ļ	
	Scale, 1 inch	= 1 000 for	i	
		.,500 100		

Surveyed	January 9	1090
	<del></del>	

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

RISENTER RISENTER RESERVED.

Seal:



Edgar L. Risenhoover Registered Land Surveyor New Mexico Reg. No. 5979

Non-resident certification as authorized by Utah State Law 58-22-21(b)

665 County Road 1191 Rou Box 105 FARMINGTON, NEW MEXIC 7401 (505) 325-3904 1-10-89 CALCULATED BY\_ CHECKED BY. SW4 SEC 7 (42-19) #2 #1 @ 2360 F/SL (275) (200) (75) 2360'F/SL 750'F/EL T- 42-5 2340'FISC 475 FIEL 4149 R-19-E 950 FIEL 4143 54 M 4146 SANJUAN CO,UTAH #5 @ 2190'F/SC 950 FIEL #7 2145 F/5L O 750 FIEL 4139 - 400 4142 #9 30) 2095 FISL 475 FIEL 4128 N #6 @ 1960'FISL #8 1930'FISL 950 F/EL # 10 750 FIEL 1910'FISL 4137 475 F/EL 4134 4/25 (180) 1730'F/SC 475 FIEL 4121 PRODUCT 204-1 (NEBS) Inc., Groton, Mass. 01471.

#### DRILLING LOCATION ASSESSMENT

## State of Utah Division of Oil, Gas and Mining

OPERATOR: SUTHERLAND DRILLING CO. WELL NAME: 7-5
SECTION: 7 TWP: 42S RNG: 19E LOC: 2190 FSL 950 FEL

QTR/QTR NE/SE COUNTY: SAN JUAN FIELD: MEXICAN HAT

SURFACE OWNER: ALLYSON ESTATE

SPACING: 50' F PROPERTY OR LEASE LINE. UNRESTRICTED.

INSPECTOR: BRAD HILL DATE AND TIME: 1/30/90 12:00 PM

PARTICIPANTS: Bill Sutherland-Sutherland Drilling

REGIONAL SETTING/TOPOGRAPHY: The location is on a terrace between Highway 163 and the San Juan River. This area has been used for dumping trash at some time in the past.

#### LAND USE:

#### CURRENT SURFACE USE: None

PROPOSED SURFACE DISTURBANCE: The only disturbance will be the construction of an 8'X 8' reserve pit. A drill truck will be able to back up to the site with minimal disturbance.

AFFECTED FLOODPLAINS AND/OR WETLANDS: The location is north of the San Juan River. These operations should not effect the river.

FLORA/FAUNA: Desert Trumpet, Snakeweed, Russian Thistle, Curly grass, Mormon Tea, Saltbush, Prickly Pear, Yucca/Birds, Insects

#### ENVIRONMENTAL PARAMETERS

#### SURFACE GEOLOGY

SOIL TYPE AND CHARACTERISTICS: Silty-sand with gravel.

SURFACE FORMATION & CHARACTERISTICS: Quaternary alluvium on Halgaito Shale

EROSION/SEDIMENTATION/STABILITY: No active erosion or sedimentation. Site is stable.

PALEONTOLOGICAL POTENTIAL: None observed.

#### SUBSURFACE GEOLOGY

OBJECTIVES/DEPTHS: Goodridge Sandstone-200'

ABNORMAL PRESSURES-HIGH AND LOW: None anticipated.

CULTURAL RESOURCES/ARCHAEOLOGY: NA

CONSTRUCTION MATERIALS: None

SITE RECLAMATION: As per landowner instructions.

RESERVE PIT

CHARACTERISTICS: 8'X 8'X 6'

LINING: None needed.

MUD PROGRAM: To be drilled with air.

DRILLING WATER SUPPLY: If water is needed it will be obtained from the Mexican Hat culinary water system.

STIPULATIONS FOR APD APPROVAL

None

**ATTACHMENTS** 

Photographs will be placed on file.

#### BEFORE THE BOARD OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES IN AND FOR THE STATE OF UTAH

IN THE MATTER OF THE APPLICATION OF SAN JUAN MINERALS EXPLORATION COMPANY FOR AN EXCEPTION TO THE WILD CAT WELL SPACING PATTERN ESTABLISHED BY RULE C-3, OF THE GENERAL RULES AND REGULATIONS, AND AMENDING PRIOR ORDERS OF THE BOARD IN CAUSE NO. 156-1 TO GRANT UNRESTRICTED SPACING IN CERTAIN PORTIONS OF THE MEXICAN HAT AREA, SAN JUAN COUNTY, STATE OF UTAH

ORDER

CAUSE NO. 156-3

Pursuant to Notice of Hearing dated February 22, 1980, as amended, of the Board of Oil, Gas and Mining, Department of Natural Resources of the State of Utah, this Cause came on for hearing before Cleon B. Feight, acting as hearing examiner for the full Board, commencing at the hour of 9:00 a.m. on April 15, 1980, in the offices of the Division of Oil, Gas and Mining, 1588 West North Temple, Salt Lake City, Utah.

Appearing for the applicant was Anthony L. Rampton of the law firm of Fabian & Clendenin, Salt Lake City, Utah, and Robert Lauth, Certified Registered Geologist. Appearing on behalf of the Division of Oil, Gas and Mining were Denise Dragoo, Special Assistant, Utah Attorney General's Office, and Mike Minder, Petroleum Engineer.

NOW, THEREFORE, having considered the testimony presented to the hearing examiner and the exhibits received at said hearing, and being fully advised in the premises, and all persons appearing before the hearing examiner being in favor of the application, the Board now makes and enters the following:

#### FINDINGS OF FACT

1. Due and regular notice of the time, place and purpose of the hearing was given to all interested parties in the form and manner and within the time required by law and the rules and regulations of the Board.

- 2. The Board has jurisdiction over the matter covered by said Notice and over all parties interested therein and has jurisdiction to make and promulgate the Order hereinafter set forth.
- 3. The principal producing sand or zone in this area is the Goodridge Sand producing from shallow sand and low pressure.
- 4. That there has been no systematic development through the Mexican Hat Area.
- 5. By Order entered in Cause No. 156-1 dated September 25, 1974, the Board established five-acre spacing for drilling wells and not less than two hundred feet from any property or lease line or from the boundary of any legal subdivision comprising a governmental quarter-quarter section or equivalent lot or lots of comparable size and location and not less than 330 feet from any producible oil well, unless otherwise specifically permitted by order of the Board after notice and hearing.
- 6. That the oil wells producing on tracts in Sections
  31 and 32, Township 41 South, and Sections 4, 5, 6, 7 and 8, Township
  42 South, Range 19 East, Salt Lake Meridian, San Juan County, State
  of Utah, are all producing from the Goodridge producing sand.
- 7. That the Goodricge formation is confined to certain pockets of permeability and perocity requiring the drilling of holes in an irregular pattern in order to discover and drain all of the recoverable oil and associated hydrocarbons from said formation.
- 8. That in order to facilitate the location and commercial production of oil in this area, it is necessary to allow for an amendment to the Order in Cause No. 156-1 so as to permit the drilling of wells on unrestricted spacing in the aforestated sections.

#### ORDER

#### IT IS THEREFORE ORDERED:

A. That an exception is hereby granted to the provisions of Rule C-3, General Rules and Regulations, Division of Oil, Gas

and Mining, so as to permit the drilling of wells on <u>unrestricted</u>, spacing to best accommodate the prevention of waste and protection of correlative rights in the development of the field and to maximize ultimate future recovery of oil and associated hydrocarbons insofar as and only insofar as the Goodridge Formation in Sections 31 and 32, Township 41 South, and Sections 4, 5, 6, 7 and 8, Township 42 South, Range 19 East, Salt Lake Meridian, San Juan County, State of Utah, and the Order of this Board in Cause No. 156-1 is hereby amended accordingly.

- B. It is further Ordered that no well in said Sections shall be drilled less than 50 feet from any property or lease line or from the boundary of any legal subdivision comprising a governmental quarter-quarters section or equivalent lot or lots of comparable size unless otherwise specifically permitted by order of the Board after notice and hearing.
- C. That this Order is a temporary order and the Board, on its own motion or the motion of any interested party, may file an application requesting a hearing to present new evidence covering the matter set forth herein.
- D. That the Board retains continuing jurisdiction of all matters covered by this Order and particularly retains continuing jurisdiction to make further orders as appropriate and authorized by statute and applicable regulations.

ENTERED AND EFFECTIVE this 15 day of May, 1980.

BOARD OF OIL, GAS AND MINING OF THE STATE OF UTAH

Charles R. Henderson	ş.) <u>.</u>
John L. Bell	
Thadeus W. Box	
C. Ray Juvelin	`\

E. Steele McIntyre

Constance K. Lundberg

Edward 1. Beck

OPERATOR Sutherland Oil Company (N7325) DATE	1-22-90
WELL NAME 7-5	
SEC NESE 7 T 425 R 19E COUNTY	Sanguan
43-037-31487  API NUMBER  TYPE OF	
CHECK OFF: 10,000 #90-02-3-1  PLAT  BOND  LEASE  FIELD	NEAREST WELL POTASH OR
PROCESSING COMMENTS:  Nearest well ok under Cause No. 156-3  Water Permit 09-944 (Culinary Water)	OIL SHALE
Bond received 2-2-90 Presite 2-2-90	
APPROVAL LETTER:	
SPACING: R615-2-3 N/A UNIT	R615-3-2
156-3 4-15-80 CAUSE NO. & DATE	R615-3-3
STIPULATIONS:	
1. Fee Stipulation	
	·



State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 Division Director 801-538-5340

February 6, 1990

Sutherland Oil Company P. O. Box 356 Mexican Hat, Utah 84531

#### Gentlemen:

Re: #7-5 - NE SE Sec. 7, T. 42S, R. 19E - San Juan County, Utah 2190' FSL, 950' FEL

Approval to drill the referenced well is hereby granted in accordance with the Order of Cause No. 156-3 dated April 15, 1980, subject to the following stipulation:

Sutherland Oil Company, as designated operator, is the bonded principal in reference to this Application for Permit to Drill. Should this designation change or a transfer of ownership occur, liability will remain with the designated operator until the Division is notified by letter of a new bonded principal.

In addition, the following actions are necessary to fully comply with this approval:

- Spudding notification within 24 hours after drilling operations commence. 1.
- Submittal of an Entity Action Form within five working days following 2. spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- Prompt notification if it is necessary to plug and abandon the well. Notify John R. Baza, Petroleurn Engineer, (Office) (80I) 538-5340, (Home) 4. 298-7695, or Jim Thompson, Lead Inspector, (Home) 298-9318.
- Compliance with the requirements of Rule R6I5-3-20, Gas Flaring or Venting, 5. Oil and Gas Conservation General Rules.

- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (80I) 538-6121.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31487.

Sincerely,

Associate Director, Oil & Gas

lcr

Enclosures

cc: Bureau of Land Management

D. R. Nielson J. L. Thompson

WE14/9-10

### F A X TRANSMITTAL



To: Janmy Staring (Dogni)	
From: Veriene Bros (BLM)	
Subject: Extension on Approved	Ap D:
Number of Pages: 2	Ч.
FAX Machine No.:	
Date: 12/19/90	
Time: 1:50 P.M:	
USO Log No.:	
Comments:	

Form 3160-5	UNITED STA	A I ED	SUBMIT IN TRIPLICATE	Expires August	31, 1905
November 1983) Formerly 9-331)	UNITED STA	E INTERIO	Section of the sectio	5. LEASE DESIGNATION	AND ERRIAL NO.
romeny 3-331)	BUREAU C-LAND MA		<b>)</b>	600	
	a contract of the contract of		1 1 2 2	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
- SUN	DRY NOTICES AND R	LEPORTS ON	N WELLS		
(Do not use this	form for proposals to drill or to d Use "APPLICATION FOR PERMI	leepen or plug back	k to a different reservoir.		
	UM -APPLICATION FOR FEMALE		· · · · · · · · · · · · · · · · · · ·	7. UNIT AGRESENT N.	****
OIL OAB				1	
WELL WELL	OTHER			8. FARM OR LEASE NA	KE
NAME OF OPERATOR	) 1 0				
Sotherla	nd oil lo.			9. WELL BO.	
ADDRESS OF OPERATOR		11-1 1	+ 611531	500 B	Below
P.O. Box	356 Mexican	n Ital	JT 84531	10. FIELD AND POOL, C	
See also space 17 belo	teport location clearly and in accor-	dance with any Bu	ate requirements.	1	,
At surface	,,,			Mex Host	
<.	ee Below			11. SEC., T., R., M., OR SURVEY OR ARE	L L
. J	Delow				
	•			Sec 7 4/2 5	19E 3LM
f. PERMIT NO.	15. *LEVATIONS (	Show whether DF, B7	r, GR, etc.)	1	18. STATE
				SanJuan	101
· · · · · · · · · · · · · · · · · · ·	Check Appropriate Box 1	lo Indicate Nat	ture of Natice, Report, or (	Other Data	•
,	NOTICE OF INTENTION TO:	1		UBNT REPORT OF:	
•		١	(-		
TEST WATER SHUT-O	PULL OR ALTER CAS	ING	WATER SECT-OFF	REPAIRING	<b> </b>
FRACTURE TREAT	MULTIPLE COMPLET	E	PRACTURE TREATMENT	ALTERING (	
SHOOT OR ACIDIZE	ABANDON*		SHOOTING OR ACIDIZING	ABANDONME	
REPAIR WELL .	CHANGE PLANS		(Other)	s of multiple completion	
(Other)			Completion or Records	pletion Report and Log it	orm.)
	.,		datation and also mostingst dutief	i, incinding estimated da	te of starting any
7. DESCRIBE PROPOSED OF	Mell is directionally diffied Rive	subsurface location	as and measured and true vertices	cal depths for all market	te and somes better.
7. DESCRIBE PROPOSED OF proposed work. If nent to this work.)	well is directionally drilled. give	administration in the second			
7. DESCRIBE PROPOSED OF proposed work. If nent to this work.)	well is directionally drilled. give	SUBMITME TOTAL			
7. DESCRIBE PROPOSED OF proposed work. If nent to this work.)	well is directionally drilled. give	SUBMITME TOTAL			
7. DESCRIBE PROPOSED OF proposed work. If nent to this work.)	well is directionally drilled. give	SUBMITME TOTAL			
7. DESCRIBE PROPOSED OF proposed work. If nent to this work.)	well is directionally drilled. give	SUBMITME TOTAL			•
7. DESCRIBE PROPOSED OF proposed work. If nent to this work.)	well is directionally drilled. give	SUBMITME TOTAL			•
7. DESCRIBE PROPOSED OF proposed work. If nent to this work.)	well is directionally drilled. give	SUBMITME TOTAL			•
7. DESCRIBE PROPOSED OF proposed work. If nent to this work. If wells work. Wells wells	plication For	or an to 199,	Extension 1	on app	API#
DESCRIBE PROPOSED OF proposed work. If nent to this work.)  Wells  Wells	plication For	or an to 199,	Extension 1	on app	API#
7. DESCRIBE PROPOSED OF proposed work. If nent to this work. If wells work. Wells wells	plication For	or an to 199,	Extension 1	on app	API#
DESCRIBE PROPOSED OF proposed work. If nent to this work. If nent to this work. Wells  Wells  Wells  43-057-3148	plication For	r an to 199,	Extension	on appr	API#
DESCRIBE PROPOSED OF proposed work. If nent to this work. If nent to this work. Wells  Wells  Wells  43-057-3148	plication For	r an to 199,	Extension  198, 2360	on apple or FSL 417	API #. 3'FEL -43037-31
DESCRIBE PROPOSED OF proposed work. If nent to this work. If nent to this work. If well #  Wells  Wells  7-1 43-057-3148	plication For	r an to 199,	Extension  198, 2360	on apple or FSL 417	API #. 3'FEL -43037-31
DESCRIBE PROPOSED OF proposed work. If nent to this work. If nent to this work. If well #  Wells  7-1 43-052-3148	plication For	r an to 199,	Extension  198, 2360  11 2360 FS	on apply on specification	API # 5'FEL - 43-037-31
DESCRIBE IROPOSED OF proposed work. If nent to this work.]  Wells  Wells  7-1 43-057-3148	plication For From 1990 -	r an to 199,	Extension  198, 2360  11 2360 FS	on apply on specification	API # 5'FEL - 43-037-31
DESCRIBE IROPOSED OF proposed work. If nent to this work.]  Wells  Wells  43-057-3148  7-2  7-4  7-5  11	plication For From 1990 -	r an to 199, 425,	Extension  198, 2360  198, 2360  11 2360  12340  FSL  2180  ESL	on appl 5' FSL 417 2 750 FEL 950' FEL-6	API -4.  SIFEL  -43057-31  43-037-31  13-037-31
DESCRIBE TROPOSED OF proposed work. If near to this work. If near	plication For	r an to 199, 425,	Extension  198, 2360  11 2360 FSL  1 2340 FSL  1966 FSL  1966 FSL	ON appl 3' FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 950' FEL	APT 75.  SFEL  -43-037-31  13-037-31  3-037-31
DESCRIBE IROPOSED OF proposed work. If nent to this work.]  Wells  Wells  7-1 43-057-31484  7-2 11 7-5 11 7-6 11	plication For	r an to 199, 425,	Extension  198, 2360  11 2360 FSL  1 2340 FSL  1966 FSL  1966 FSL	ON appl 3' FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 950' FEL	APT 75.  SFEL  -43037-31  43-037-31  3-037-31  3-037-31
DESCRIBE IROPOSED OF proposed work. If nent to this work. If nent	plication For	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  2140 FSL  1966 FSL  2145 FSL	ON appl 2 FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 150 FEL 4	API - 45 SFEL - 43-037-31 43-037-31 3-037-31 3-037-31
DESCRIBE IROPOSED OF proposed work. If neat to this work. If neat to this work. If neat to this work. If wells  Wells  Wells  7-1 43-057-3148  7-2 11 7-4 11 7-6 11 7-7 11	plication For	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  2140 FSL  1966 FSL  2145 FSL	ON appl 2 FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 150 FEL 4	API # 6 / F Z L - 43-037-31 1 1 3 - 037-31 1
DESCRIBE IROPOSED OF proposed work. If near to this work.]  Wells  Wells  7-1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	plication For	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  2140 FSL  1966 FSL  2145 FSL	ON appl 2 FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 150 FEL 4	API # 6 / F Z L - 43-037-31 1 1 3 - 037-31 1
DESCRIBE IROPOSED OF proposed work. If nent to this work. If nent	plication For	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  1966 FSL  1966 FSL	ON appl 2 FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 150 FEL 4	API - 45 SFEL - 43-037-31 43-037-31 3-037-31 3-037-31
7. DESCRIBE PROPOSED OF proposed work. If neat to this work.]  Wells  Wells  7-1, 14  7-2, 11  7-4, 11  7-6, 11  7-11	plication For From 1990 -	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  2140 FSL  1966 FSL  2145 FSL	ON appl 2 FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 150 FEL 4	API - 45 SFEL - 43-037-31 43-037-31 3-037-31 3-037-31
7. DESCRIBE PROPOSED OF proposed work. If neat to this work.]  Wells  Wells  7-1, 14  7-2, 11  7-4, 11  7-6, 11  7-11	plication for the found of the foregoing is true and correct the foregoing	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  2140 FSL  1966 FSL  2145 FSL	ON appl 2 FSL 417 2 750 FEL 950' FEL 41 950' FEL 41 750 FEL 41 15 FEL 41	API # 6/FEL - 43-037-31 13-037-31 13-037-31 13-037-31 14
DESCRIBE TROPOSED OF proposed work. If near to this work.]  Wells  Wells  7-1 43-057-3148  7-2 11 7-5 11 7-6 17-10 11 7-11	plication For From 1990 -	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  2140 FSL  1966 FSL  2145 FSL	ON appl 2 FSL 417 2 750 FEL 950' FEL 41 950' FEL 41 750 FEL 41 15 FEL 41	API - 45 SFEL - 43-037-31 43-037-31 3-037-31 3-037-31
7. DESCRIBE PROPOSED OF Proposed work. If near to this work. If ne	plication For Form 1990 -	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  2140 FSL  1966 FSL  2145 FSL	ON appl 2 FSL 417 2 750 FEL 950' FEL 41 950' FEL 41 750 FEL 41 15 FEL 41	API # 6/FEL - 43-037-31 13-037-31 13-037-31 13-037-31 14
DESCRIBE PROPOSED OF proposed work. If near to this work. If near	plication for the found of the foregoing is true and correct the foregoing	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  1966 FSL  2145 FSL  1910 FSL 417-  1730 FSL 417-	ON appl 2 FSL 417 2 750 FEL 950' FEL 950' FEL 41 750 FEL 41 5 FEL 41 75 FEL 41	APT # 6 / F EL - 43-037-31 13-037-31 13-037-31 13-037-31 14
To Describe Proposed of proposed work. If nent to this work. If ne	plication For Form 1990 -	125.	Extension  198, 2360  11 2360 FSL  1 2340 FSL  1960 FSL  1960 FSL  2145 FSL  1910 FSL 473  1730 FSL 473	ON appl 2 FSL 417 2 750 FEL 4 950' FEL 4 950' FEL 4 750 FEL 4 750 FEL 4 750 FEL 4 750 FEL 4 75 FE	APT # 3'FEL -43037-31 43-037-31 3-037-31 3-037-31 3-037-31 3-037-31 41 -12-90
DESCRIBE PROPOSED OF proposed work. If near to this space for Federal Newscore of the near to th	plication For Form 1990 -	125.	Extension  198, 2360  11 2360 FSA  1 2340 FSA  1 2340 FSA  1 146 FSA  1 146 FSA  1 1730 FSA  APPROVE	ON appl 2 FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 950' FEL 950' FEL 15 FEL 15 FEL 15 FEL 15 FEL 15 FEL 15 FEL 15 FEL 17 FEL 18 FEL 19 FE	APT # 5'FEL -43057-31 43-037-31 3-037-31 3-037-31 3-037-31 3-037-31 41 -12-90
DESCRIBE PROPOSED OF APPROVED BY  CONDITIONS OF A	plication for  From 1990 -  APT  LE. SE. Sec 7  (1)  (1)  (1)  (1)  (1)  (1)  (1)  (1	125.	Extension  198, 2360  11 2360 FSA  1 2340 FSA  1 260 FSA  1 960 FSA  1 910 FSA  1 7 30 FSA  APPROVE  OF UTA  OU GAS	ON appl 2 750 FEL 950' F	API 75.  SFEL  -43037-31.  43-037-31.  3-037-31.  3-037-31.  3-037-31.  3-037-31.
This space for Federal Approved BT	PROVAL, IF ANY:	to 199,	Extension  198, 2360  11 2360 FS4  1 2340 FS4  1 246 FS4  2145 FS4  1910 FS4 475  1730 FS4  APPROVED  OF UTA  OIL, GAS	ON appl 2 750 FEL 950' F	API # 6 / F EL - 43-037-31 4 3-037-31 4 3-037-31 4 3-037-31 4 3-037-31 4 3-037-31 4 5-12-90
DESCRIBE PROPOSED OF APPROVED BY  CONDITIONS OF A	PROVAL, IF ANY:	to 199,	Extension  198, 2360  11 2360 FSA  1 2340 FSA  1 260 FSA  1 960 FSA  1 910 FSA  1 7 30 FSA  APPROVE  OF UTA  OU GAS	ON appl 2 FSL 417 2 750 FEL 950' FEL 950' FEL 950' FEL 950' FEL 950' FEL 15 FEL 15 FEL 15 FEL 15 FEL 15 FEL 15 FEL 15 FEL 17 FEL 18 FEL 19 FE	API 75.  SFEL  -43037-31.  43-037-31.  3-037-31.  3-037-31.  3-037-31.  3-037-31.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

August 7, 1992

Sutherland Oil Company P.O. Box 158 Mexican Hat, Utah 84531

Gentlemen:

Re: #7-5, Sec. 7, T. 42S, R. 19E, San Juan County, Utah

API No. 43-037-31487

Due to excessive time delay in commencing drilling operations, approval to drill the subject well is hereby rescinded, effective immediately.

Please note that a new Application for Permit to Drill must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

Don Staley

Administrative Supervisor

Oil and Gas

DME/ldc

cc: R.J. Firth

Well file

**WOI219**